



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
1	Add I/O locations	9/23/08	BE
2	Change material	4/8/16	<i>[Signature]</i>



① R .032 TYP
16 PL
(PLATED THRU)



CONTACT I/O
(TOP VIEW)

- 2. CH1 RF in 14
RF out 8
- CH2 RF in 16
RF out 6

① Location of plated thru holes are to be held at +/- .005.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BREE ENGINEERING. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BREE ENGINEERING IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES & TOLERANCES ARE: .XXX .XX ANGLES ±.005 ±.01	CAD GENERATED DRAWING DO NOT MANUALLY UPDATE		BREE ENGINEERING
	DWN LN	DATE 9/23/08	
MATERIAL Nelco 4000-13-EP	CHK BE	9/23/08	OUTLINE
	RESP ENG		
	MFG ENG		
MATERIAL Nickel	QUAL ENG		SIZE CAGE CODE DWG NO B 1K3H5 700164
	Scale for REFERENCE ONLY		REV 2
SCALE 4:1		SHEET 1 OF 1	