



| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |
| | | | |
| | | | |
| | | | |

B

B



CONTACT I/O
(top view)

A

A

1 Location of plated thru holes are to be held at $\pm .005$

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BREE ENGINEERING. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BREE ENGINEERING IS PROHIBITED.

| | | | |
|--|---|----------------------|----------------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES & TOLERANCES ARE: .XXX .XX ANGLES $\pm .005 \pm .01$ | CAD GENERATED DRAWING DO NOT MANUALLY UPDATE | | BEE BREE ENGINEERING |
| | DWN LN | DATE 10/16/14 | |
| MATERIAL Nelco 4000-13-EP | CHK | | OUTLINE |
| | RESP ENG | | |
| | MFG ENG | | |
| FINISH Nickel | QUAL ENG | | |
| | Scale 3:1 | | |
| | SIZE | CAGE CODE B 1K3H5 | DWG NO 700240 |
| | SCALE TBD | | REV - |
| | | | SHEET 1 OF 1 |